A FAMILY COMPANY MANUFACTURING IN THE USA SINCE 1969



Kitchen Refrigeration



Space-Maximizing Undercounter Coolers

Includes LED light

available in

bright white

Glastender's C1SU space-maximizing undercounter coolers offer generous capacity in a compact foot print. The 24" deep cabinets, available in 24" or 28" one-door units and 36", 44", or 48" two-door units are ideal for undercounter, foodservice applications.

(shown), warm 24-1/8" deep white, amber, or Stainless steel top overhangs door stainless steel blue to protect door gasket from spills finished top 24-1/8" * Stainless pull-tab handle C1SU48 Sides may be black, stainless (shown), or laminated Two adjustable shelves per door C1SU24 Includes casters (shown) or legs Available with drawer insert accessory for Compressor compartment condiment cups (cups and covers included) Listed to NSF 7 for open food storage may be located left or right 7 door styles to satisfy diverse needs and decor Edge cap on laminated doors (unlaminated not shown) protects laminate from chipping All stainless steel interior construction with radius corners for easy cleaning Stainless steel solid and glass







Warm white



Amber




Blue





Optional drawers include adjustable divider walls and are available in black, stainless (shown) or laminated finish

Available with drawer insert accessory for fractional-sized pans (pans not included)



Black vinyl-clad solid and glass

End Wall Refrigerated Undercounter Coolers

Glastender's C1FU end wall refrigerated, undercounter coolers are ideal for undercounter, foodservice applications. The 24" deep cabinets are available in one through four-door













Lettuce Crisper

Glastender's lettuce crisper has forced air refrigeration for uniform cooling of product, providing you with cool, crisp salads for each and every customer. The lettuce chute with lift-up stainless door allows access to shredded lettuce stored in the removable plastic lettuce bin.



Integral channel



(Side shown cut-away for illustrative purpose)

• Wall bracket

The 16 gauge galvanized steel back includes an integral channel for mounting the unit on the factory supplied wall bracket. NOTE: The wall bracket mounting holes must align with at least two (2) wall studs for a safe and secure installation.



Chute with flip-up door for easy assess to lettuce









Easy to remove condenser filter can be regularly cleaned to maintain condenser coil efficiency



Removable plastic bin prevents drying of lettuce. (divider for bin and extra bins available)



Radius interior corners for easy cleaning

Wall-Mount Refrigerator

Glastender's wall-mount food service refrigerator is a great way to add extra refrigerated storage in a tight space or above existing work tables. The high capacity forced air refrigeration system is NSF standard 7 listed for open food storage.



All stainless steel interior construction with radius corners for easy cleaning.

integral channel for mounting the unit on the factory supplied wall bracket. NOTE: The wall bracket mounting holes must align with at least two (2) wall studs for a safe and secure installation.

Sharing many of the same useful features as our wall mount refrigerator, Glastender's countertop merchandiser is a great way to merchandise refrigerated products. The pass thru design provides swinging front and back doors for convenient loading and unloading of product from either side.



Self-contained forced air refrigeration system for uniform cooling of product



Easy to remove condenser filter can be regularly cleaned to maintain condenser coil efficiency

Glass door for easy product visibility and merchandising (solid stainless door on one or both sides)

NSF[®] standard 7 listed for open food storage

Countertop Merchandiser



Digital thermostat control with automatic defrost is easily visible

Interior LED light with on/off switch



interior construction with radius corners for easy cleaning



Mobile and Drop-In Ice Cream Freezers



Durable one-piece seamless top is easy to clean



90° electrical plug and recessed back designed to accommodate an outlet behind the unit while still maintaining the 18" depth

Glastender's mobile ice cream freezer is designed to hold two 3-gallon ice cream containers at dipping temperature (-5°F to 10°F). The unit includes four 3" heavy duty rubberized casters (two locking) and has a 36" high work surface.

Easy to clean all stainless steel interior and exterior with durable 16 gauge galvanized steel exterior bottom

2.3X 70% THICKER STRONGER

Our ice cream freezer hinge pin is 2.3X thicker making it 70% stronger than the common industry hinge pin



Common industry hinge pin Glastender's unique thicker hinge pin

Glastender's drop-in ice cream freezers are an easy way to add hand dipped ice cream to any service station. Models are available to hold either one or two 3-gallon ice cream containers.





Special hinge holds the lid open while dipping



Stainless steel interior with 1/4" radius corners for easy cleaning

NOTE: The standard top lifts up and the special hinges allow the lid to remain open while dipping. A special "flip lid" is available on the models that hold two 3-gallon containers. The flip lid is hinged in the middle and opens from each end. The flip lid models are specified with the suffix '-FL' in the model number.

FRM-2







Available with easy to clean seamless welded dipper well

> Unique hemmed edge for added strength and visual appeal



DI-FR-DW

Special angle brackets, U-channels, and mounting bolts provided for an easy, secure installation

A FAMILY COMPANY MANUFACTURING IN THE USA SINCE 1969

Also available...

Kitchen Fabrication



The flexibility you want. The features you need.

Glastender. Expect more.